

HAQUOSS NANOLED FRESH



(5.0)

Compact Led σύστημα φωτισμού για μικρά ενυδρεία γλυκού νερού.
Χάρη στο πρακτικό διαφανές άγκιστρο του, μπορεί να τοποθετηθεί εύκολα στα τζάμια του ενυδρείου, χρησιμοποιώντας την παρεχόμενη βίδα (μέγιστο πάχος τζαμιού 12 mm).
Η συγκεκριμένη έκδοση LED, είναι εξοπλισμένη με RGB φωτισμό (λευκά LED στα 6.500 K+ κόκκινα, μπλε, πράσινα) είναι ιδανική όχι μόνο για απλά ενυδρεία γλυκού νερού με τροπικά ψάρια αλλά ειδικά για φυτεμένα ενυδρεία και Aquascaping.

6 Watt / 22cm

€35.00

9 Watt / 40cm

€45.00

HAQUOSS NANOLED REEF



(5.0)

Compact LED σύστημα φωτισμού για nano reef ενυδρεία.
Χάρη στο πρακτικό διαφανές άγκιστρο του, μπορεί να τοποθετηθεί, εύκολα στα τζάμια του ενυδρείου, χρησιμοποιώντας την παρεχόμενη βίδα(μέγιστο πάχος τζαμιού 12mm).
Η συγκεκριμένη έκδοση LED εξοπλισμένη με λευκά LED (στα 9000K και μπλε, μωβ LED, είναι ιδανική όχι μόνο για απλά ενυδρεία θαλασσινού νερού με τροπικά ψάρια, αλλά και ειδικά για ενυδρεία με μαλακά κοράλλια και ασπόνδυλα.

6 Watt / 22cm

€35.00

9 Watt / 40cm

€45.00

DYMAX REX-LED LIGHTING (4.0)



Dymax Rex LED Lighting are energy-efficient lighting suitable for all types of aquarium.

It provides the necessary illumination and colors for optimal photosynthetic activity, coral growth and viewing.

Dymax Rex LED Lighting delivers full spectrum lighting plus essential actinic blue spectral wavelengths that promote and support strong coral growth as well as enhance its colors.

Dymax Rex LED Lighting casts an optimal illumination into the water, so that you get an accurate visual of fish, corals and their aquatic environment. Colors appear more vibrant and exuberant, and the lighting promises to transform your aquarium into a majestic display.

Superior Performance

- High performance LED bulbs
- Safe for fish, corals, plants
- Ideal for freshwater and planted (White/Pink version)
- Ideal for salt water marine (White/Blue version)
- Long lifespan
- Sleek design
- Quiet

COMING SOON

Key Features

- Full spectrum for freshwater and marine aquarium
- Promotes and supports strong coral growth
- Balanced combination of multiple LEDs for optimal photosynthetic activity
- Provides essential actinic blue spectral wavelengths
- Extendable mounting brackets ensures easy installation
- 120 degrees of light dispersion for full coverage of spectrum throughout the aquarium
- 3 positions magnetic switch (Day, Night and OFF mode) (Marine White/Blue version)
- 2 positions magnetic switch (On and OFF mode)

DYMAX REX-LED 60cm

€ 100.00

DYMAX REX-LED 90cm

€ 125.00

DYMAX REX-LED 120cm

€ 150.00

DYMAX REX-LED 150cm

€170.00

DYMAX SPACEX LIGHT-FRESHWATER (4.0)



The Space X LED Lighting provides a balance combination of multiple LEDs for optimal photosynthetic activity, plant growth and viewing, with a huge 48W at full power.

These lights project full spectrum lighting plus essential RGB spectrum wavelength that provide and support strong plant growth as well as enhance its color. This LED also emits balance light for accurate viewing for both fish and the entire aquatic environment in the aquarium.

- 24hr smart control
- Intensity selection
- Night light option
- Spectrum control
- Convective heat exchange design
- 15 x 15 x 3cm
- 48W at full power
- 3m cable
- LEDs: 15 x Green, 12 x Red, 6 x Blue, 15 x White.

TIMH :

€170.00

DYMAX SPACEX LIGHT-MARINE (4.0)



The Space X LED Lighting provides a balance combination of multiple LEDs for optimal photosynthetic activity, coral growth and viewing, with a huge 48W at full power.

These lights project full spectrum lighting plus essential actinic blue spectrum wavelength that provide and support strong coral growth as well as enhance its color. This LED also emits balance light for accurate viewing for both fish and the entire aquatic environment in the aquarium.

- 24hr smart control
- Intensity selection
- Night light option
- Spectrum control
- Convective heat exchange design
- 15 x 15 x 3.5cm
- 48W at full power
- 3m cable
- LEDs: 4 x Green, 4 x Red, 21 x Blue, 13 x White, 6 x Purple

TIMH :

€ 185.00

AQUANOVA WATER PUMP N-RMC (4.5)



Aqua Nova Circulation pump with flow controller

- The pump is equipped with energy efficient new generation technology motor, allowing for even lower power consumption while maintaining high performance pump output.
- The pumps come with Ceramic motor shaft, which in turn extends pump life, and also do not rust in saltwater aquariums. They are easy to change if needs be.
- The Pumps are designed for indoor aquariums, sumps, filter units and of course are very quiet whilst in operation and are low in vibration, which is vital in sumps to avoid cracking of glass or movement.
- The pumps come with a controller, that allows you to adjust the pump capacity (so increase or decrease the flow/output), and also there is a "FEED" mode, which is of course for when you want to feed your fish or other marine creatures. When activated the pump switches off for 10 minutes after which the pump starts again automatically. This allows you to quickly activate the "FEED" option, feeds your fish and leave the aquarium unattended, whilst know it will switch back on its self.

N-RMC 5000	40W	5000 L/H	H MAX: 3.5 M	€240.00
N-RMC 7000	55W	7200 L/H	H MAX: 4.5 M	€280.00
N-RMC 9000	65W	9000 L/H	H MAX: 5.2 M	€310.00
N-RMC 12000	80W	12000 L/H	H MAX: 6.0 M	€340.00
N-RMC 15000	105W	15000 L/H	H MAX: 5.7 M	€500.00

FLOWEXTREME - SERIES PUMPS (5.0)



Flow extreme pumps are submersible and with adjustable flow power (not the model 5000), suitable for aquariums (use in sump), ponds and garden fountains.

FLOWEXTREME 2500	45 W	€80.00
FLOWEXTREME 3500	60 W	€110.00
FLOWEXTREME 5000	138 W	€120.00

HAQUOSS P- SERIES COMPACT PUMPS (5.0)



Haquoss p-500 compact submersible pump is an aquarium pump with variable flow rate, functional and small in size. The p series of Haquoss is a series of submersible pumps with variable flow power, suitable for aquariums biological filter and water movement, for cribs , for table fountains, for paludariums and reptilians

P-500	7 W	€20.00
P-800	14 W	€25.00
P-1200	25 W	€32.00

AQUANOVA POND PUMP SUPER ECO NFPX SERIES (4.5)



The NFPX is an innovative and highly energy-efficient pump model. Thanks to specially designed connectors, the model can be used traditionally to pump water through the pump cover or to draw water through a surface filter, the so-called surface skimmer. No matter what the purpose of the pump is, the NFPX will be ready to operate under all conditions.

Thanks to the extensive protective basket, they can be used in any contaminated pond without the risk of the impeller stopping and seizing.

ECO-PUMP motor - energy savings of up to 65% compared to other pumps with similar performance.

NFPX-6500	5500 L	32 W	3.5M H. MAX	€235.00
NFPX-8000	8000 L	42 W	4.2M H. MAX	€245.00
NFPX-10000	18000 L	63 W	5.2M H. MAX	€260.00
NFPX-12000	25000 L	85 W	5.5M H. MAX	€290.00

HAQUOSS CLIMA HEATERS (5.0)

Η σειρά HAQUOSS CLIMA περιλαμβάνει αυτόματους θερμαντήρες με εσωτερικό θερμοστάτη που μπορούν να χρησιμοποιηθούν σε γλυκό και θαλασσινό νερό. Μπορούν επίσης να χρησιμοποιηθούν σε χελωνιερές, φυτιέρες και άλλα μίνι οικοσυστήματα. Κλείνει αυτόματα όταν φτάσει την επιθυμητή θερμοκρασία και ξεκινάει όταν αυτή πέσει κατά 0.5°C

Εύρος Θερμοκρασίας : MIN 20°C – MAX 34°C



25 W	MEXPI 25 ΛΙΤΡΑ	€26.00
50 W	MEXPI 50 ΛΙΤΡΑ	€26.50
100 W	MEXPI 100 ΛΙΤΡΑ	€27.50
200 W	MEXPI 200 ΛΙΤΡΑ	€28.50
300 W	MEXPI 300 ΛΙΤΡΑ	€32.00
500 W	MEXPI 500 ΛΙΤΡΑ	€45.00

AQUANOVA EXTERNAL CANISTER FILTER (4.5)



One of the most important elements that distinguish Aqua Nova filters from the NCF series is the excellent quality/price ratio. The filter is fully equipped with cartridges and tubes, ready to be connected immediately after purchase.

The cartridges used (sponge, non-woven fabric, bio ceramics, activated carbon) ensure full mechanical, biological and chemical filtration.

INCLUDED:

NCF-600 AND NCF-800 (500g Carbon +500g Ceramic rings)

NCF-1000 , NCF-1200 AND NCF-1500 (750g Carbon +750g Ceramic rings)

NCF-600	15W	600 L/H	H MAX: 1.2 M	€150.00
NCF-800	15W	800 L/H	H MAX: 1.2 M	€175.00
NCF-1000	20W	1000 L/H	H MAX: 1.5 M	€190.00
NCF-1200	20W	1200 L/H	H MAX: 1.5 M	€210.00
NCF-1500	20W	1500 L/H	H MAX: 1.5 M	€240.00

AQUANOVA HANG ON FILTER 450L/H



The Aqua Nova Hang On Filter NF-450 is a cascade external filter with filter insert.

The Aqua Nova Hang On Filter NF-450 has a long suction pipe with suction protection. The filter insert consists of a sponge filter and holder.

The Aqua Nova Hang On Filter NF-450 is easy to install and clean.

The flow rate of the Aqua Nova Hang On Filter NF-450 can be regulated.

Power consumption: 3.5 watts

Flow rate: 250 liters per hour

The Aqua Nova Hang On Filter NF-450 is suitable for aquariums up to 90 liters.

PRICE: (5.0)

€30.00

AQUANOVA SURFACE SKIMMER



The Aqua Nova Skimmer is a compact surface skimmer with an integrated pump. The skimmer ensures a crystal-clear water surface and also increases the gas exchange between water and air.

The skimmer is suitable for vacuuming up film or even individual unwanted duckweed or similar. Depending on how dirty the water surface is, the filter insert in the skimmer may need to be cleaned more regularly.

The suction nozzle of the skimmer adapts to the water surface.

Power consumption: 3 watts

Flow rate: 200 liters / hour

PRICE: (5.0)

€20.00

AQUANOVA SPONGE CORNER FILTER



Internal filters are the solution most often chosen by aquarists. They contribute to the correct functioning of the biological balance in the aquarium.

The Aqua Nova internal corner filter is powered by a stream of air from an aeration pump (which is not included in the set). Filters of this type clean the water of all mechanical impurities, such as: food remains, rotting plant parts, products of the metabolic process. They are very popular among breeders because they are safe for fry. They are known for their simplicity and effectiveness. Thanks to the specific structure of the sponge included in the set, the filter also enables excellent biological filtration. The porous structure of the sponge is an excellent habitat for beneficial nitrifying bacteria that purify the water of nitrogenous compounds. It is ideal for shrimp tanks and spawning aquaria. The dense sponge provides a source of additional food for aquarium shrimps. The filter is used in cultures with shrimps, fingerlings and discus, in incubators and catteries.

The filter is very simple to use. All you need to do is connect an aeration pump, purchased separately, to it.

NCF-C40 (5.0)	€5.00
NCF-C80L (5.0)	€5.50
NCF-C200 (5.0)	€11.00
NCF-C350 (5.0)	€16.00

AQUANOVA NSF-MAXBIO-200L SPONGE FILTER (5.0)



An air-operated internal sponge filter developed for biochemical filtration in the aquarium.

Excellent effect in dissolving oxygen in water and very silent operation.

Dimension:

- Height extendable from 23 cm - 35 cm
- Sponge size: approx. 10 x 6 cm
- Bag hole of the filter sponge: Ø 15 mm - 9 cm depth
- Ø filter container approx. 5.7 cm - filling height approx. 4 cm

Can be completely dismantled - so everything can be cleaned very easily.

For aquariums up to 200 liters

PRICE :

€17.00

AQUANOVA POND FILTER NBPF SERIES (WITH BACKWASH AND UV) (4.5)



The pressure filter with UV is an excellent filtration set for a garden or pond.

The filters are additionally equipped with SELF CLEAN technology (self-cleaning), which makes cleaning the filter easier and much quicker.

It is fully equipped with filter cartridges, and the appropriate selection and arrangement of filter materials ensures proper filtration of the pond.

The filter uses multi-stage filtration to ensure effective, complete water filtration. In addition, the UV lamp destroys algae in the water, combats bacteria and parasites dangerous to farmed fish and plants, and eliminates the causes of most diseases - giving the effect of crystal clear water in all garden ponds

NBPF-12000

12000 POND

18 W LAMP

€440.00

HAQUOSS AIRLINE PRO (5.0)



AIRLINE PRO 2	60 - 150 λίτρα	€27.50
AIRLINE PRO 3	150 – 400 λίτρα	€35.00

HAQUOSS COOLING FANS (5.0)



EVOLUTION	1 FAN	4 W	MAX 60 L	€48.00
TYPHOON	2 FANS	5.5 W	MAX 90 L	€63.00
TORNADO	4 FANS	10 W	MAX 180 L	€95.00
HURRICANE	6 FANS	13.5 W	MAX 300 L	€125.00

AQUANOVA UV STERILISER (4.5)



Sterilizer - the UV-C lamp is one of the most effective methods of fighting algae, water bloom, as well as various diseases and parasites in fish. Thanks to its properties, it kills malicious bacteria, viruses, algae, protozoa, parasites, larvae, etc. The lamp is mounted on the outlet hose of the bucket filter.

NUVC-9	4500 L	3500 L/H FLOW	9 W	€130.00
NUVC-11	5500 L	7000 L/H FLOW	11 W	€140.00
NUVC-18	8000 L	9000 L/H FLOW	18 W	€165.00
NUVC-36	18000 L	15000 L/H FLOW	36 W	€195.00
NUVC-55	25000 L	25000 L/H FLOW	55 W	€260.00

AQUANOVA UV STERILISER STAINLESS STEEL



UV-C STERILIZER LAMP FOR AQUARIUM AND POND STAINLESS STEEL POND!

ELIMINATES ALGAE AND GREEN WATER EFFECT

Advantages:

- 35% more efficiency thanks to the reflection of the UV light inside
- for use in ponds or aquariums
- prevents the growth of algae, greening of water
- destroys protozoa, bacteria and other pathogenic organisms
- stainless steel housing

Crystal-clear water in the aquarium or garden pond is the dream of every fish keeper, and to make this dream come true I recommend UV-C lamps, which are able to extract the finest visible mechanical impurities, including suspended matter, from the water.

Parameters:

power 75 W

Aquarium capacity up to 2,000 liters

pond/pond capacity 35,000 - 75,000 l

maximum water flow 25000 l/h

Power supply: pump

Connection diameter 25 / 38 / 50 mm

fixing method - outside the tank

75W (4.5)

€340.00

AQUANOVA REPLACEMENT UV BULBS (5.0)



Pond sterilization lamps that use UV-C light can help control harmful bacteria and algae growth, keeping your pond clear and healthy.

UV-C light is effective in destroying the DNA of microorganisms, preventing them from reproducing and causing waterborne diseases.

With the right size and wattage for your pond, a sterilization lamp can be an effective addition to your pond filtration system.

9 W	PL TYPE	FOR NUVC-9	€21.00
11 W	PL TYPE	FOR NUVC-11	€22.00
18 W	PL TYPE	FOR NUVC-18	€28.00
36 W	PL TYPE	FOR NUVC-36	€40.00
55 W	PL TYPE	FOR NUVC-55	€57.00
75W	4PIN TUBE	FOR NUVC-75 ST. STEEL	€65.00

AQUANOVA AIR PUMP N-ACO SERIES (4.5)



N-ACO models by AQUA NOVA are a reliable and energy-efficient series of piston aerators. The pump is designed for pond and pond aeration. Weather-resistant aluminum housing. The pump piston does not require lubrication, making product maintenance much easier. The reduction in lubricants means that the air coming out is odorless and therefore healthy for the fish in your pond. The piston and cylinder have been coated with a special material that reduces energy consumption and extends the life of the individual pump components. The strong, high-quality aluminum housing facilitates heat dissipation. All these features mean that the pumps can operate 'non-stop', without fluctuations in performance.

All pumps are equipped with an air distributor.

In summer, during hot weather, the pump provides oxygen to the fish, and in winter it prevents the pond from freezing over completely and at the same time provides oxygen to the fish.

N-ACO-35	35 L/MIN	18 W	€80.00
N-ACO-45	45 L/MIN	22 W	€95.00
N-ACO-60	60 L/MIN	32 W	€110.00

AQUANOVA AIR PUMP NAP SERIES (4.5)



Mechanical air supply with Aqua Nova aerators is the best way to ensure adequate oxygen in your pond.

The pond is particularly prone to lack of air in summer, during hot weather, and in winter, during cold weather.

Features:

- Modern design.
- Very easy to install and operate.
- The aerator has rubber pads to prevent vibration.
- Quiet, efficient and energy saving.
- Full instructions for installing the aerator.
- Aluminium housing will ensure a long product life.
- Pump suitable for continuous operation.

NAP-60	65 L/MIN	38 W	€260.00
--------	----------	------	---------

AQUANOVA SKIMMER FILTER (4.5)



The floating SKIMMER perfectly collects all dirt from its surface
e.g. dead plant remains, dust, food residues and all other impurities
It significantly improves the light column in the pond water, aesthetics and facilitates gas exchange.
It thus inhibits the growth of algae and aerates the water perfectly. The built-in special sponge/pre-filter retains all collected impurities, so they can be easily removed.

Technical data:

Power - 60W
Flow rate Q max (l/h) - 3000
Power supply: 230V, 50Hz
Sponge for biological-mechanical filtration - supplied
Cable length 10m
Dimensions 350x310x300 mm

NSK-40

€150.00